



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

Northwest Regional Office • 3190 160th Avenue SE • Bellevue, Washington 98008-5452 • (425) 649-7000

December 3, 2004

**REGISTERED MAIL**  
**RR 359 893 329 US**

Jeffrey Massie  
Marysville Public Works  
80 Columbia Avenue  
Marysville, WA 98270

Dear Mr. Massie:

**RE: Order # 1820**

U.S. Army Corps Reference No. 200201278  
Water Quality Certification/Coastal Zone Consistency Determination for Marysville Public Works, Construction of Ebey Slough Waterfront Park, Ebey Slough, Snohomish River, Snohomish County, Washington.

The request for certification for proposed work in and adjacent to the Ebey Slough, Snohomish River has been reviewed. On behalf of the State of Washington, we certify that the proposed work, as conditioned by the enclosed Order, will comply with applicable provisions of Sections 301, 302, 303, 306 and 307 of the Clean Water Act, as amended, and other appropriate requirements of State law. This letter also serves as the State response to the Corps of Engineers.

Pursuant to 16 U.S.C. 1456 et. seq. (Section 307(c)(3) of the Coastal Zone Management Act of 1972 as amended), Ecology concurs with the applicant's determination that this work will be consistent with the approved Washington State Coastal Zone Management Program. This concurrence is based upon the applicant's compliance with all applicable enforceable policies of the Coastal Zone Management Program, including Section 401 of the Federal Water Pollution Control Act.

This certification is subject to the conditions contained in the enclosed Order. If you have any questions, please contact Rebekah Padgett at (425) 649-7129. Written comments can be sent to Rebekah at the Department of Ecology, 3190 160th Avenue SE, Bellevue, WA 98008, or at [rp461@ecy.wa.gov](mailto:rp461@ecy.wa.gov). The enclosed Order may be appealed by following the procedures described in the Order.

Sincerely,

Jeannie Summerhays  
Section Manager  
Shorelands and Environmental Assistance Program

Enclosure

JS:RRP:rc

cc: Keith Anderson, Hammond Collier Wade Livingstone  
Susan Glenn, U.S. Army Corps of Engineers

David Brock, WDFW





**IN THE MATTER OF GRANTING A  
WATER QUALITY  
CERTIFICATION TO  
Marysville Public Works**  
in accordance with 33 U.S.C. 1341  
FWPCA § 401, RCW 90.48.120, RCW  
90.48.260 and Chapter 173-201A WAC

) **ORDER # 1820**  
) **Corps Reference No. 200201278**  
) Ebey Slough Waterfront Park; construct concrete  
) boat ramp, dredge 0.15 acre estuarine substrate,  
) install 5 floats, install 75-foot log boom,  
) construct stormwater management system;  
) located in Ebey Slough, Snohomish River,  
Marysville, Washington.

TO: Jeff Massie  
Marysville Public Works  
80 Columbia Avenue  
Marysville, WA 98270

On September 13, 2004, a public notice for a proposed water quality certification from the State of Washington was distributed for the above-referenced project pursuant to the provisions of 33 U.S.C. 1341 (FWPCA §401). The proposed project consists of construction of Ebey Slough Waterfront Park, including: construction of a 120-by-85-foot concrete boat ramp with 50 cubic yards of riprap at the toe and sides of the ramp, dredging of 0.15 acre of estuarine substrate, installation of 5 floats with 8 steel support piles, installation of a 75-foot log boom with 4 concrete piles, and construction of a stormwater management system to detain and treat runoff from 2.4 acres of new impervious surface. Mitigation will include removal of a 220-foot-long timber bulkhead, restoration of estuarine wetlands, installation of habitat logs in the restored wetland, and creation of riparian buffer.

#### **AUTHORITIES:**

For purposes of this Order, the term "Applicant" shall mean Marysville Public Works and its agents, assigns, and contractors.

In exercising authority under 33 U.S.C. 1341, 16 U.S.C. 1456, RCW 90.48.120, and RCW 90.48.260, Ecology has investigated this application pursuant to the following:

1. Conformance with applicable water quality-based, technology-based, and toxic or pretreatment effluent limitations as provided under 33 U.S.C. Sections 1311, 1312, 1313, 1316, and 1317 (FWPCA Sections 301, 303, 306 and 307);
2. Conformance with the state water quality standards as provided for in Chapter 173-201A WAC authorized by 33 U.S.C. 1313 and by Chapter 90.48 RCW, and with other appropriate requirements of state law; and
3. Conformance with the provision of using all known, available and reasonable methods to prevent and control pollution of state waters as required by RCW 90.48.010.



*Order # 1820, U.S. Army Corps Reference # 200201278  
Marysville Public Works  
December 3, 2004  
Page 2 of 5*

## **CONDITIONS OF ORDER # 1820 AND WATER QUALITY CERTIFICATION:**

In view of the foregoing and in accordance with 33 U.S.C. 1341, 90.48.260 RCW and Chapter 173-201A WAC, water quality certification is granted to Applicant subject to the following conditions:

### **A. No Impairment of Water Quality:**

- A1. Ebey Slough, Snohomish River [WRIA #7] is classified as Class A waters of the state. Certification of this proposal does not authorize Applicant to exceed applicable state water quality standards (Chapter 173-201A WAC) or sediment quality standards (Chapter 173-204 WAC). Water quality criteria contained in WAC 173-201A-030(1) and WAC 173-201A-040 shall apply to this project, unless otherwise authorized by Ecology. This Order does not authorize temporary exceedances of water quality standards beyond the limits established in WAC 173-201A-110(3). Furthermore, nothing in this certification shall absolve Applicant from liability for contamination and any subsequent cleanup of surface waters or sediments occurring as a result of project construction or operations.

Ebey Slough, Snohomish River has been identified on the current 303(d) list as exceeding state water quality standards for 2-methylnaphthalene, acenaphthene, arsenic, copper, dibenzofuran, dissolved oxygen, fecal coliform, fluorine, mercury, naphthalene, phenanthrene, and temperature. This proposed project shall not result in further exceedances of this standard.

### **B. Project Mitigation:**

- B1. Impacts to aquatic resources shall be mitigated through measures described in the following documents, except as modified by this Order:
- Wetland Mitigation Plan, Ebey Slough Waterfront Park, City of Marysville, Washington, prepared by Pentec Environmental, August 23, 2002, as amended by the November 15, 2004, letter from Hammond Collier Wade Livingston to Susan Glenn, U.S. Army Corps of Engineers.
- B2. Compensatory wetland mitigation is required to be constructed during the same year as construction occurs.

### **C. Stormwater Management:**

- C1. Applicant shall comply with the final stormwater management plan.
- C2. Stormwater treatment facilities are to be maintained so they function as designed.



Order # 1820, U.S. Army Corps Reference # 200201278  
Marysville Public Works  
December 3, 2004  
Page 3 of 5

**D. Construction:**

- D1. Construction Stormwater and Erosion Control: Work in or near waters of the state shall be done so as to minimize turbidity, erosion, and other water quality impacts. Construction stormwater, sediment and erosion control Best Management Practices suitable to prevent exceedances of state water quality standards (e.g., hay bales, detention areas, filter fences, etc.), shall be in place before starting clearing, filling, and grading work at the impact sites, and shall also comply with all requirements of NPDES Permit No. SO3005323.
- D2. During clearing and filling at the various project sites, Applicant shall take all necessary measures to minimize the alteration or disturbance of existing wetland vegetation.
- D3. All construction debris shall be properly disposed of on land so that it cannot enter a waterway or cause water quality degradation to state waters.
- D4. The applicant shall comply with all water quality-related conditions included in the WDFW Hydraulic Project Approval (HPA).
- D5. Wash water containing oils, grease, or other hazardous materials resulting from wash down of equipment or working areas shall be contained for proper disposal, and shall not be discharged into state waters or storm drains.
- D6. Applicant shall provide notice to Ecology's Rebekah Padgett at least 3 days prior to the start of placing fill in wetlands or other waters of the state, and within 14 days after completion of construction at each project site and mitigation site. Notification can take place by e-mail to [rp461@ecy.wa.gov](mailto:rp461@ecy.wa.gov), telephone to (425) 649-7129, fax to (425) 649-7098, or in writing.
- D7. Clean Fill Criteria: Applicant shall ensure that fill placed for the proposed project does not contain toxic materials in toxic amounts.

**E. Emergency/Contingency Measures:**

- E1. In the event Applicant is unable to comply with any of the permit terms and conditions due to any cause, Applicant shall:
- Immediately take action to stop, contain, and clean up unauthorized discharges or otherwise stop the violation and correct the problem.





*Order # 1820, U.S. Army Corps Reference # 200201278*  
*Marysville Public Works*  
*December 3, 2004*  
*Page 4 of 5*

- Notify Ecology of the failure to comply. Spill events shall be reported immediately to Ecology's 24-Hour Spill Response Team at (425) 649-7000, and within 24 hours to Ecology's Rebekah Padgett at (425) 649-7129.
- Submit a detailed written report to Ecology within five days that describes the nature of the violation, corrective action taken and/or planned, steps to be taken to prevent a recurrence, results of any samples taken, and any other pertinent information.

Compliance with this condition does not relieve Applicant from responsibility to maintain continuous compliance with the terms and conditions of this Order or the resulting liability from failure to comply.

- E2. Fuel hoses, oil drums, oil or fuel transfer valves and fittings, etc., shall be checked regularly for drips or leaks, and shall be maintained and stored properly to prevent spills into state waters. No refueling of equipment shall occur over, or within 50 feet of creeks or wetlands.

**F. General Conditions:**

- F1. This certification does not exempt and is provisional upon compliance with other statutes and codes administered by federal, state, and local agencies.
- F2. The applicant will be out of compliance with this certification if the project is constructed and/or operated in a manner not consistent with the project description contained in the Public Notice for certification, or as otherwise approved by Ecology. Additional mitigation measures may be required through other local, state, or federal requirements.
- F3. The applicant will be out of compliance with this certification and must reapply with an updated application if five years elapse between the date of the issuance of this certification and the beginning of construction and/or discharge for which the federal license or permit is being sought.
- F4. The applicant will be out of compliance with this certification and must reapply with an updated application if the information contained in the Public Notice is voided by subsequent submittals to the federal agency. Any future action at this project location, emergency or otherwise, that is not defined in the Public Notice, or has not been approved by Ecology, is not authorized by this Order. All future actions shall be coordinated with Ecology for approval prior to implementation of such action.
- F5. Copies of this Order shall be kept on the job site and readily available for reference by Ecology personnel, the construction superintendent, construction managers and foremen, and state and local government inspectors.



Order # 1820, U.S. Army Corps Reference # 200201278  
Marysville Public Works  
December 3, 2004  
Page 5 of 5


To avoid violations or non-compliance with this Order, the applicant shall ensure that project managers, construction superintendents, and other responsible parties have read and understand relevant aspects of this Order, the NPDES permit if applicable, and any subsequent revision or Ecology-approved plans.

- F6. The applicant shall provide access to the project site and all mitigation sites upon request by Ecology personnel for site inspections, monitoring, necessary data collection, or to ensure that conditions of this Order are being met.
- F7. Nothing in this Order waives Ecology's authority to issue additional orders if Ecology determines further actions are necessary to implement the water quality laws of the state. Further, Ecology retains continuing jurisdiction to make modifications hereto through supplemental order, if additional impacts due to project construction or operation are identified (e.g., violations of water quality standards, downstream erosion, etc.), or if additional conditions are necessary to further protect the public interest.
- F8. Liability: Any person who fails to comply with any provision of this Order shall be liable for a penalty of up to ten thousand dollars (\$10,000) per violation for each day of continuing noncompliance.

#### Appeal Process:

Any person aggrieved by Order #1820 may obtain review thereof by appeal. Pursuant to ch. 43.21B. RCW, a person can appeal this order to the Pollution Control Hearings Board within 30 days of the date of receipt of this Order. Any such appeal must be sent to the Washington Pollution Control Hearings Board, PO Box 40903, Olympia, WA 98504-0903. Concurrently, a copy of the appeal must be sent to the Department of Ecology, Shorelands and Environmental Assistance Program, Attn: Loree' Randall, PO Box 47600, Olympia, WA 98504-7600. These procedures are consistent with the provisions of Chapter 43.21B RCW and the rules and regulations adopted thereunder.

Dated December 3, 2004, at Bellevue, Washington.



Jeannie Summerhays, Section Manager  
Shorelands and Environmental Assistance Program  
Department of Ecology  
State of Washington

